

Order Form – White Scale/ Illumination Control Sample

Request/Order (please select)				
<input type="checkbox"/> Request We hereby request an offer for:		or	<input type="checkbox"/> Order We hereby order with costs:	
Remark:			Order according to offer no.:	
			Order number (Customer): <i>(please append as attachment)</i>	

Customer (responsible for contract)			
Company name:			
Street, No.:			
Postal code:		City:	
Region/Provinz:			
Country:			
VAT No.:		Commercial register:	
Contact: <input type="checkbox"/> Mr. / <input type="checkbox"/> Ms.			
Surname:		Name:	
Position:			
Phone:		E-Mail:	
Parcel service:		Parcel service account:	

Invoice recipient (only to be completed, if data deviates from the customer. Please append confirmation of cost acceptance)			
Company name:			
Street, No.:			
Postal code:		City:	
Region/Provinz:			
Country:			
VAT No.:		Commercial register:	
Contact: <input type="checkbox"/> Mr. / <input type="checkbox"/> Ms.			
Surname:		Name:	
Position:			
Phone:		E-Mail:	

Billing information	
Payment in advance reserved	
Currency in EUR	Send bill to buyer with E-Mail: <input type="checkbox"/> YES (no postal dispatch) <input type="checkbox"/> NO
Additional costs	
Postage (freight), packaging and bank charges.	
Parcel service fees as well as customs clearance fees may also arise and must be paid separately.	

Recipient of material (only to be completed, if data deviates from the customer)

Entry certificate for EU countries must be returned within 14 days after material received.

Company name:			
Street, No.:			
Postal code:		City:	
Region/Provinz:			
Country:			
VAT No.:		Commercial register:	
Contact: <input type="checkbox"/> Mr. / <input type="checkbox"/> Ms.			
Surname:		Name:	
Position:			
Phone:		E-Mail:	

Products (*Abo = min. 4x 1 Set White Scale every 3 months, payable when ordering)

Hohenstein White Scale		Number
<input type="checkbox"/> Type 1, article no. 830 – Single piece can be used with measurement devices with a moveable UV filter, e.g. Datacolor International, XRite, HunterLab, Lorentzen & Wettre, Minolta. Durability: 3 months	<input type="checkbox"/> Type 1, article no. 832 – Abo* can be used with measurement devices with a moveable UV filter, e.g. Datacolor International, XRite, HunterLab, Lorentzen & Wettre, Minolta. Durability: 3 months	
<input type="checkbox"/> Type 2, article no. 831 – Single piece is like type 1, but with additional documented remission values. UV adjustment is calculated by measuring and entering values. It can only be used with suitable devices (e.g. Minolta, CM-36xx- or CM-26xxseries). Durability: 3 months	<input type="checkbox"/> Type 2, article no. 833 – Abo* is like type 1, but with additional documented remission values. UV adjustment is calculated by measuring and entering values. It can only be used with suitable devices (e.g. Minolta, CM-36xx- or CM-26xxseries). Durability: 3 months	
<input type="checkbox"/> Type 3, article no. 835 – Single piece is like type 2, but calibration data are also provided on a mini-CD that can be directly read into the software. This is only suitable for the "Polaris White Star" measurement system from Axiphos. Durability: 3 months	<input type="checkbox"/> Type 3, article no. 836 – Abo* is like type 2, but calibration data are also provided on a mini-CD that can be directly read into the software. This is only suitable for the "Polaris White Star" measurement system from Axiphos. Durability: 3 months	

Products	
Illumination Control Sample	Number
<input type="checkbox"/> Synthetic A 1 synthetic plate (60 mm x 90 mm), with double-sided matte finish and two marked measurement points each < 35 mm in diameter. Durability: 1 year	
<input type="checkbox"/> Synthetic C 1 synthetic plate (50 mm x 75 mm) matte, without markings or measurement points, and therefore suitable for larger measuring diaphragms Durability: 1 year	

Contact Hohenstein	
E-Mail: CustomerService@hohenstein.com	Phone: +49 7143 271 898

Date, City

Please confirm your acceptance by authorized Signature & Chop